

Guidelines for contractors executing works on the site in Hoboken

Umicore ensures safety, health and environment. On the basis of the legislation and years of experience many regulations have been drawn up applying to any individual wanting to access the Umicore site in Hoboken.

Below you, as contractor, will find a summary of the main guidelines. These guidelines are binding for all contractors Umicore takes on, and their employees as well as their subcontractors. Therefore they are also part of the contractual agreements.

If the contractor does not or inadequately comply with his obligations or agreements, Umicore as such can – as provided in the Act on Well-Being dated 04/08/1996, Art. 9 – take the necessary measures relating to the well-being of his employees for the account of the contractor.

The Umicore organisation has only one single safety objective: avoiding safety incidents and therefore it wants to use any incident to learn from it. Umicore is convinced that these guidelines can help contractors to deal appropriately with safety, health and environment on our Umicore site.

We would like to thank you in advance for complying with these guidelines.



Contractor Management contractor.hoboken@eu.umicore.com



Version management:

Version:	Date:	Modification:
		Addition of the sanctions policy, bicycle lease, new PPE distribution, wind barometer, etc.
6.0	1/7/2019	Addition of the consequence policy and golden rules
5.0	1/9/2018	Adaptation of the QEHS policy (1.1)

Table of contents:

1	UP	PMR company policies5		
	1.1	QEH	IS policy5	
	1.1	.1	WHY?	
	1.1	.2	WHAT?5	
	1.1	.3	HOW?	
	1.2	Con	tractor Safety Management9	
	1.3	Sub	contractors / temporary workers / working students9	
	1.4	Lan	guage10	
	1.5	Smo	pking, alcohol and drugs10	
	1.6	Pho	tography and filming10	
	1.7	Viol	ations of the regulations11	
	1.8	Арр	licable legal regulations13	
	1.9	Om	budsman14	
	1.10	С	ommunication of site regulations14	
2	Site	e sec	urity, identification and circulation15	
	2.1	Reg	istration of a contractor firm before the start of the works (pre-reception)15	
	2.2	Reg	istration of a contractor employee before the start of the works (pre-reception)15	
	2.3	Rec	eption on the first working day16	
	2.3	.1	Employees on the site	
	2.3 Bui	.2 Iding	Employees in the Central Administration (CA) and Information Systems (IS) 16	
	2.3	.3	Badge17	
	2.4	Ente	ering and leaving the site17	
	2.4	.1	Vehicles	
	2.4	.2	Employees	
	2.4	.3	Materials delivery17	
	2.4	.4	Tools and equipment	
			Page 2 of 33	



2.4.6Local traffic and signage		2.4	5	Exit controls	18
2.5Use of Umicore materials192.6Working times193Safety on the site193.1Evacuation alarms – Emergency exits193.2Fire203.3Zoning203.4Use of products by the contractor203.5Use of approved work equipment.214Personal hygiene and well-being214.1Work clothes214.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work sones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4Shie regulations275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		2.4	6	Local traffic and signage	18
2.6Working times193Safety on the site193.1Evacuation alarms – Emergency exits193.2Fire203.3Zoning203.4Use of products by the contractor203.5Use of approved work equipment.214Personal hygiene and well-being214.1Work clothes214.2Use of Unicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		2.4	7	Parking of personal vehicles	19
3 Safety on the site		2.5	Use	of Umicore materials	19
3.1Evacuation alarms – Emergency exits193.2Fire203.3Zoning203.4Use of products by the contractor203.5Use of approved work equipment214Personal hygiene and well-being214.1Work clothes214.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.4Permits285.4.5Working on own installations28		2.6	Wor	king times	19
3.2Fire203.3Zoning203.4Use of products by the contractor203.5Use of approved work equipment.214Personal hygiene and well-being214.1Work clothes.214.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28	3	Safe	ety o	n the site	19
3.3Zoning203.4Use of products by the contractor203.5Use of approved work equipment.214Personal hygiene and well-being214.1Work clothes214.2Use of Umicore facilities.214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		3.1	Evad	cuation alarms – Emergency exits	19
3.4 Use of products by the contractor 20 3.5 Use of approved work equipment. 21 4 Personal hygiene and well-being 21 4.1 Work clothes 21 4.2 Use of Umicore facilities 21 4.3 Eating and drinking 22 4.4 Use of personal protective equipment 22 4.4 Use of personal protective equipment 23 4.5 Risk prevention 23 4.6 Reporting incidents and accidents 23 4.7 Health 23 4.7.1 Biological monitoring 24 5 Safety at work and on the works site 25 5.1 Start-work meeting and risk analysis 25 5.2 Employees reception 25 5.3 Work-site layout and work-site fence 26 5.3.1 Work zones 26 5.3.2 Blocking passageways 26 5.3.3 Breaking up roads and plantation 27 5.4 Site regulations 27 5.4.1 Safety supervision 27 <		3.2	Fire		20
3.5Use of approved work equipment.214Personal hygiene and well-being214.1Work clothes.214.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site.255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.4Permits285.4.5Working on own installations28		3.3	Zoni	ing	20
4Personal hygiene and well-being214.1Work clothes214.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.4Use of personal protective equipment234.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		3.4	Use	of products by the contractor	20
4.1Work clothes214.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		3.5	Use	of approved work equipment	21
4.2Use of Umicore facilities214.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28	4	Per	sona	I hygiene and well-being	21
4.3Eating and drinking224.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site.255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.1	Wor	k clothes	21
4.4Use of personal protective equipment224.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.2	Use	of Umicore facilities	21
4.5Risk prevention234.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Permanent use of the areas (contractor park)275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.3	Eati	ng and drinking	22
4.6Reporting incidents and accidents234.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Permanent use of the areas (contractor park)275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.4	Use	of personal protective equipment	22
4.7Health234.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Permanent use of the areas (contractor park)275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.5	Risk	prevention	23
4.7.1Biological monitoring245Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Permanent use of the areas (contractor park)275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.6	Rep	orting incidents and accidents	23
5Safety at work and on the works site255.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.3.4Permanent use of the areas (contractor park)275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.7	Неа	lth	23
5.1Start-work meeting and risk analysis255.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.4Permanent use of the areas (contractor park)275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		4.7	1	Biological monitoring	24
5.2Employees reception255.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.3.4Permanent use of the areas (contractor park)275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28	5	Safe	ety a	t work and on the works site	25
5.3Work-site layout and work-site fence265.3.1Work zones265.3.2Blocking passageways265.3.3Breaking up roads and plantation275.3.4Permanent use of the areas (contractor park)275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.1	Star	t-work meeting and risk analysis	25
5.3.1Work zones		5.2	Emp	ployees reception	25
5.3.2Blocking passageways265.3.3Breaking up roads and plantation275.3.4Permanent use of the areas (contractor park)275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.3	Wor	k-site layout and work-site fence	26
5.3.3Breaking up roads and plantation275.3.4Permanent use of the areas (contractor park)275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.3	1	Work zones	26
5.3.4Permanent use of the areas (contractor park)275.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.3	2	Blocking passageways	26
5.4Site regulations275.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.3	3	Breaking up roads and plantation	27
5.4.1Safety supervision275.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.3	4	Permanent use of the areas (contractor park)	27
5.4.2Follow-up of the works by the Umicore site supervisor275.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.4	Site	regulations	27
5.4.3Obligation to check in and out275.4.4Permits285.4.5Working on own installations28		5.4	1	Safety supervision	27
5.4.4Permits		5.4	2	Follow-up of the works by the Umicore site supervisor	27
5.4.5 Working on own installations28		5.4	3	Obligation to check in and out	27
-		5.4	4	Permits	28
5.4.6 Working at height29		5.4	5	Working on own installations	28
		5.4	6	Working at height	29



			recides Metals Kenning	
	5.4	.7	Lifting activities	9
5	5.5	Traf	fic regulations	9
	5.5	.1	Trafic rules29	9
	5.5	.2	Trafic plan29	9
	5.5	.3	Gathering places	9
	5.5	.4	Vehicle inspection on site	0
5	6.6	Safe	ety regulations	0
	5.6	.1	Procedure of the storage of hazardous products	0
	5.6	.2	Locking procedure	0
	5.6	.3	Practice guideline for enclosing	0
6	En	/iron	mental regulations	0
6	5.1	Was	ste disposal	0
	6.1	.1	Demolition work	0
	6.1	.2	Construction/renovation work	0
	6.1	.3	Painting work	1
	6.1	.4	Disposal of waste outside of the company	1
6	5.2	Wat	ter-pollution prevention	1
6	5.3	Air-	pollution prevention	1
6	5.4	Soil	-pollution prevention	2
6	5.5	Noi	se-nuisance prevention	2
6	5.6	Env	ironmental incidents	2



1 UPMR company policies

1.1 QEHS policy

1.1.1 WHY?

"We "We care for a sustainable future". Our focus is on the development of sustainable business operations and processes.

It is the joint responsibility of all UPMR employees to think and act in a qualitative, efficient, healthy and environmentally-friendly way on behalf of the future of the entire plant and our stakeholders.

1.1.2 WHAT?

The Business Excellence, Environment and Safety & Health departments support all services in an aligned and coherent way in order to realise this vision.

The care for general well-being and the QEHS objectives we achieve by focussing on three important issues:

- MAN:
 - Stimulate our employees' personal ownership to control any QEHS risk and use any QEHS opportunity in line with our values of Commitment, Care and Cooperation.
 - Invest in education and training to align our employees' skills with the needs of our plant.
 - Actively and constructively involve our contractors in the realisation of our QEHS policy with priority to creating a safe working place.
- METHOD:
 - We manage our activities according to the ISO9001:2015 (Quality), ISO14001:2015 (Environment) and ISO45001:2015 (Safety and Health) care systems.
 - For this purpose we devote time and attention to embedding continuous improvement in our company culture. We regularly audit and review our processes, engage in dialogue with our stakeholders and comply with the continuously developing legislation.
- MACHINE:
 - Ensure safe and environmentally-friendly installations by designing, realising, operating, maintaining and modifying in an accountable and risk-based way.



1.1.3 HOW?

From three domains:

BUSINESS EXCELLENCE

Our key principles for realising customer and stakeholder satisfaction are

- 1. Leadership and commitment
- 2. Doing the right things in the right way (first time right)
- 3. Effectiveness over activity focus on the objective
- 4. Quality in every employee's perception
- HEALTH & SAFETY

At Umicore we care about a sustainable future. That is our common goal. Building a sustainable future also means creating a healthy and safe workplace for everyone. That is why we want to develop a real safety culture, so that everyone spontaneously ensures their own safety and that of their colleagues.

By focussing on crucial behaviours, we can all achieve this safety culture together. What is a crucial behaviour? It is the attitude and behaviour that we expect from everyone on our site in terms of safety. If everyone applies this, we can make our plant a safer and more pleasant place to work.

Finally, it helps to clearly indicate the do's and don'ts. Those are the Golden Rules. We can literally save lives by respecting these golden rules. That is why we don't compromise on this. We acknowledge good behaviour but also make adjustments where necessary. Sanctions will be taken against anyone who continues to behave unsafely, despite repeated warnings.

The golden rules constitute a consistent safety policy for the entire site. They also entitle anyone to do the following, when they find themselves in a situation where they are compelled to break on of these golden rules:

- Say no.
- Postpone the job.
- Stop working.

The Golden Rules mainly ensure that everyone makes it home with our loved ones safe and sound at the end of the day.



We all want to get home safe and sound at the end of the day.



Crucial behaviour

We all commit to strive for "Crucial Behaviour" under the motto "We all want to get home safe and sound at the end of the day":



- 1. The heart and mind go together
 - I ask my colleagues plenty of questions so that I understand their actions
 - I regularly give feedback about the reports that I received and processed
 - I personally provide and discuss every guideline (permit, WOB, control card) with my colleague
 - I check whether they understood my message
- 2. First safe, than fast
 - I take the time to discuss the risks before every job
 - I only start a job when all the risks have been jointly checked and discussed
 - I supervise new employees or arrange for supervision
- 3. We grow by talking to each other
 - I take the time to talk to my colleagues
 - I thank my colleagues for working safely
 - I accept feedback and implement it
 - I spontaneously admit to any mistakes that I made
 - I give my colleagues the time to learn by continuously talking to them
 - I question my own actions and request feedback from my colleagues
- 4. Unity in diversity
 - I systematically apply procedures and guidelines
 - I discuss this when this proves impossible
 - I apply department-specific guidelines and agreements
 - I identify good practices by my colleagues to learn from them
- 5. Safety comes with obligations
 - I behave in an exemplary manner when it comes to safety
 - I encourage safe behaviour in others
 - I accept that unsafe behaviour has consequences
 - I address unsafe behaviour with my colleague when I notice it
 - I report unsafe situations and take actions when possible



Consequence policy

Consequence policy means encouraging and acknowledging safe behaviour on the one hand, as well as making adjustments where necessary on the other. Because every behaviour has consequences. And everyone needs to understand this.

1. Acknowledging good behaviour is important

We expect our supervisors to acknowledge, recognise and reward safe behaviour. We also extend this to our colleagues. Because everyone appreciates a compliment.

2. Address, correct and learn

Unsafe behaviour will be addressed. Supervisors will explain to workers which safe behaviour is expected from them. We can also continually learn from each other as colleagues by making adjustments and asking questions in a positive and constructive manner.

3. Sanction, correct and learn

If unsafe behaviour continues to occur, despite repeated warnings, we will have to take action and discipline workers.

Golden Rules

You can literally save lives by respecting these Golden Rules.

Yours and that of your colleagues. That is why we refuse to compromise on this. We have decided that we will no longer warn people who choose to break these rules. Instead they will be immediately punished with a sanction.

Golden rules save lives





• ENVIRONMENT

We pursue minimising the impact of our activities on local residents and the environment by working according to these ground rules:

- 1. We restrict our emissions of metals, harmful substances and greenhouse gases as much as possible, minimise the use of raw materials, energy and water and see to safe products.
- 2. We loyally comply with the legal stipulations and work according to good practices.
- 3. We work with an ISO 14001 accredited environmental management system and pursue continuous improvement of our environmental performance.
- 4. We contribute to closing the materials cycle by recycling metals and valorising waste products.
- 5. We enter into dialogue with all our stakeholders, in particular local residents and the authorities.

1.2 Contractor Safety Management

We monitor the safety policy of contractors by asking for a number of documents for checking via the Onyx One notification system. In order to be able to prove such a safety policy, we expect contractors and subcontractors to have at least a VCA [SCC] certificate at business level.

The most important documents are:

- Proof of withholding obligation (NSSO) not applicable
- Safety policy
- Annual Action Plan (AAP)
- Accident statistics
- VCA [SCC] certificate
- Specific trade-related safety or quality certificates

In addition, we expect the contractor to always pay attention to safety while working on the site by:

- Drawing up a risk analysis for the works on the site.
- Immediately reporting safety incidents to the site management concerned; the investigation into the incident also starts straightaway and requires reporting within 24 hours after the incident.
- Reporting unsafe situations and communicating all other safety topics to Contractor Management.
 - ⇒ contractor.hoboken@eu.umicore.com

1.3 Subcontractors / temporary workers / working students

If the contractor wants to deploy subcontractors, temporary workers or working students, he is always obliged to submit it for approval to the Umicore site supervisor. The latter decides, either or not after advice from the Internal Department for Prevention and Protection at Work (IDPPW), to either or not admit the individuals involved. After approval subcontractors can be



deployed up to a 1st level. In order to be able to monitor this, we expect each subcontractor to be registered in Onyx One as well.

The minimum age for working at Umicore is 18.

It is the contractor's task to follow up and coordinate the work of his subcontractors. He checks whether his subcontractors are compliant with the legislation and ensures that all his subcontractors know and adhere to the agreements. In addition, he ensures that his subcontractors execute the subcontracted works with suitable work equipment and the appropriate protection.

However, the contractor remains accountable and liable for his subcontractors at all times.

1.4 Language

All employees of the contractor and his subcontractors have to have good basic knowledge of *Dutch, French, English or German*. If this is not the case, it has to be clearly agreed beforehand and approved in mutual consultation. At least the contractor's site supervisor should speak one of these languages and be able to communicate to the contractor's employees all risks and measures to be taken.

Umicore demands that for each separate working team the contractor's (co-working) foreman can be addressed and express himself in one of the four languages.

1.5 Smoking, alcohol and drugs

There is a general smoking prohibition on the entire Umicore Hoboken site that has to be observed by everybody. The zones where limited smoking is allowed (only during the lunch break) are specifically indicated and are always in the open air.

Alcoholic drinks and drugs are completely forbidden on the entire site. Therefore any (sub)contractor's employee must not be under the influence at the start and during execution of the works.

1.6 Photography and filming

Third parties are not allowed to use photographic material or footage for commercial purposes. Exceptions can only be made after prior approval from the Contractor manager.

External use for marketing purposes by a contractor:

- The photographic and visual material can only be taken by a professional photographer or cameraman, either via Umicore as such or via the external party, accompanied by a Umicore employee. This is only possible with prior permission from the Communications Department manager.
- Communication Department has to check the images before the person who took the photographs/footage leaves the site. If necessary, Communication Department will also involve the manager of the department in question.



External use for professional purposes by a contractor (e.g. drawing up a tender, study, toolbox, etc.)

- The use of a photographic or any other camera has to be reported beforehand to the Internal Security department. The 'Permit for using visual material' must be signed and send by e-mail to the Communication Department Manager and the Internal Security Manager.
- The person taking the photographs/images has to be accompanied by a Umicore staff member at all times.
- Before the person taking the photographs/images leaves the site, the visual material has to be checked by the department manager, Communication Department or by Internal Security.

1.7 Violations of the regulations

The Umicore contact person is generally the site supervisor unless established differently in the contract. If a Umicore site supervisor is faced with violations of the regulations, he will first make a verbal remark.

In case of non-compliance with verbal remarks or in case of grave errors written notification will follow. Not only the site supervisor, but also the other Umicore employees have a duty to be observant in order to adjust unsafe situations and violations of the regulations.

If there is no response to the verbal or written notification or in the case of repeated violations, Umicore may proceed to remove or to having removed the person or firm in question. In case of a serious violation of internal or traffic regulations, the person or firm involved can be removed from the Umicore site immediately.

This removal for reasons of infringements of safety, security, health and/or environment cannot give rise to financial compensations from Umicore to the contractor in question. On the contrary, the contractor remains responsible for securing the agreed planning.

Compliance with general regulations/rules and agreements is an absolute precondition for external parties to enter our sites and whether or not to carry out work there. These agreements exist in the first place to guarantee the safety of all those present on our sites. When entering our sites, you as an external party declare your agreement with the current rules and guidelines. Failure to respect these regulations will always be punished according to the sanction procedure below.

At UPMR, a distinction is made between:

Traffic violations

- A. Minor violations: In the case of a violation, the following measures will be taken:
 - 1) In the event of a first violation, the contractor will be notified in writing.
 - 2) In the event of a second violation, the contractor will again be informed in writing.
 - 3) In the event of a third violation, the contractor will be denied access to the site for three months.

Guidelines for contractors - Version 7.0

- Site Hoboken -



- 4) If a new violation is subsequently established, the contractor will be definitively refused entry to the UMICORE sites.
- B. Serious violations: In the event of a serious violation (ignoring traffic lights, excessive speed (> 50 km/h on the factory roads), the following measures will be taken:
 - 1) In the event of a first violation, the contractor will be notified in writing.
 - 2) In the event of a second violation, the contractor will be denied access to the site for three months.
 - 3) If a new violation is subsequently established, the contractor will be definitively refused entry to the UMICORE sites.

Violations of the house rules

- A. Minor infringements: In the case of a violation (The obligation to wear a badge inappropriate smoking behaviour ignoring safety rules and the obligation to wear PPE hygiene infringements at the factory), the following measures will be taken:
 - 1) In the event of a first violation, the contractor will be notified in writing.
 - 2) In the event of a second violation, the contractor will again be informed in writing.
 - 3) In the event of a third violation, the contractor will be denied access to the site for three months.
 - 4) If a new violation is subsequently established, the contractor will be definitively refused entry to the UMICORE sites.
- B. Serious infringements: In the case of a serious violation (Alcohol & drugs use photographing, etc.), the following measures will be taken:
 - 1) In the event of a first violation, the contractor will be notified in writing.
 - 2) In the event of a second violation, the contractor will be denied access to the site for three months.
 - 3) If a new violation is subsequently established, the contractor will be definitively refused entry to the UMICORE sites.

Violations of the safety rules

Minor infringements: (determined through observations) are discussed with the person concerned => consequence policy. Only repeated findings of minor infringements will be regarded as serious infringements.

Serious infringements: if there are repeated violations of the safety rules, conscious or intentional violations with the aim of causing harm to others, violations of the Golden Rules depending on the degree of severity, intentionality and repetition, one of the following sanctions will be applied:

- ⇒ Final written warning
- \Rightarrow Three months' suspension
- ⇒ Permanent denial of access



Crimes, misdemeanours or serious infringements

Civil law (Theft - Improper use of the access badge – Vandalism – Drug trafficking at the factory – Violence – unacceptable conduct, etc.) applies unconditionally to the UMICORE sites. All offences against this legislation are considered very serious violations and will be prosecuted where necessary.

a) Crimes, misdemeanours or serious offences without prosecution: In the event of a violation, the contractor will be denied access to the site for three years.

b) Crimes, misdemeanours or serious offences with prosecution: In the event of a violation, the contractor will be definitively denied access to the site. No exceptions to this policy are possible. The contractor is responsible for all its employees and will communicate this sanction policy to all its employees.

1.8 Applicable legal regulations

- ARAB [General Regulations for Labour Protection] and Codex about the Well-being at Work and in particular:
 - The Royal Decree "Working equipment" dated 12/08/1993
 - The Act on Well-being dated 04/08/1996
 - The Royal Decree "Temporary or Mobile Building Sites" dated 25/01/2001
- AREI [General Regulations for Electrical Installations]
- VLAREM, VLAREA and VLAREBO [Flemish Regulations on Environmental Permits, Flemish Regulations on Sustainable Management of Material Cycles and Waste Products, Flemish Regulations on Soil Remediation and Soil Protection]
- GDPR
- Social legislation
- Registered contractor
- Work permit
- Identity card / Passport
- If applicable: comply with Limosa, Residence permit

By far the most important law applicable to our cooperation is the Social Welfare Act of 4 August 1996. Specifically, chapter 4 "Special provisions concerning activities of third-party companies" deals with working with third parties.

We as a client are obliged to inform you about our company risks.

In addition, the measures we take to manage these risks must be stated. These can be found further in these guidelines.

We hereby take the initiative to coordinate the activities, unless otherwise specified and included in a TMB zone. You are expected to provide your employees with information regarding the business risks at Umicore. You must train your staff properly and give them clear instructions. Just like you, we must monitor this, which is why all third-party employees must watch a welcome film and pass the corresponding test before entering our installations.

The legislator also imposes obligations on the contractor; you must inform us of any company risks you bring onto our sites and cooperate in coordinating the activities.



1.9 Ombudsman

It should be noted that the Contractor Management department is completely independent of all other departments in our company. As a result, this department can also act as an ombudsman between the contractor and its own organisation.

If you are of the opinion that there are matters that you believe adversely affect the effectiveness and efficiency of the activities and you do not receive sufficient response from our organisation, you can always contact this department: <u>contractor.hoboken@eu.umicore.com.</u>

1.10 Communication of site regulations

You can consult the site regulations on the Contractor Portal. Umicore applies the following principle: "Everyone present on the site is expected to know the site regulations". The site regulations are available in Dutch and English.

A contractor must register once via the login page. To do this, click on "Create an account" and enter your details there.

Once logged in, you choose the language and the site; you can then find the site regulations, etc., under "Documents". If you choose "Information & newsletters", you can consult the C-Flash and other communications.

		Share price
umicore Pretious Metals Refining	About Industrial by-products Recyclables	Metals/Products
	Precious Matals Refining -	
	Contractor portal	
	Please log in to view this page	
	E-mail address *	
	Password *	
	Login	
	Forgot your password? Create an account	



2 Site security, identification and circulation

2.1 Registration of a contractor firm before the start of the works (pre-reception)

Registration of a contractor occurs through the online tool Onyx One (<u>www.onyxone.com</u>). Onyx One works with a number of obligatory fields and the possibility of uploading the required documents.

The contractor receives an invitation e-mail with a registration link, with which he can enrol his company in Onyx One. Once registered, the contractor has to complete a number of steps.

- 1. Complete and submit the company qualification: these details are evaluated and approved by Umicore.
- 2. Subcontractor invitation: after approval the contractor can invite his subcontractors.
- 3. Complete and submit personal qualification: the (sub)contractor has to register his own employees (on his payroll) in the tool and complete their details.
- 4. Assignments: they are drawn up by Umicore. As soon as a subcontractor has been approved in Onyx, the contractor also has to delegate his assignment to the respective subcontractor.
- 5. Allocation of personnel to be enrolled: the (sub)contractor has to register his employees on an assignment so that they get access to our site.

All personal details made available to Umicore via the Onyx One registration tool will be used legitimately by Umicore only for the purposes of guaranteeing the safety and security of its staff and buildings and in accordance with Umicore's GDPR and privacy policy; more information: <u>http://www.umicore.com/en/privacy-and-cookie-policy/</u>.

The costs of this registration can be found under: <u>https://www.onyxone.com/plans</u>.

2.2 Registration of a contractor employee before the start of the works (pre-reception)

Every contractor employee must be registered in Onyx in advance. The following information is required for this:

- Name (as indicated on the passport/identity card)
- Place of birth, date of birth
- National register number or passport number
- Expiry date of identity card/passport
- VCA [SCC] safety certificate
- Specific trade-related safety certificates

Personnel employed by a foreign employer, who come to execute works, have to have a Limosa notification (document L1). The electronic registration has to occur beforehand via <u>www.limosa.be</u> and to be uploaded in the Onyx One web platform at the personal qualification of the employee concerned.

Personnel employed by a foreign employer within the European Economic Area (EEA) also have to carry the A1 form.



Personnel employed by an employer from outside the European Economic Area (EEA) have to have a work permit.

The contractor is responsible for timely registration of his own employees and those of his subcontractors and for supplying the correct forms.

2.3 Reception on the first working day

2.3.1 Employees on the site

At the first reporting the contractor's or subcontractor's employees have to present themselves at gate D within normal working time (06:00 h - 22:00 h). Here the required formalities around registration are fulfilled. In exceptional cases registration during the weekend is possible, on condition of prior consultation with and approval of the Umicore site supervisor.

When reporting the employee must be able to identify himself at the request of the security officer.

Before their first working day at Umicore, employees receive a general safety introduction on the basis of e-learning. This training consists of 5 different modules, supplemented by 2 testing modules. The employees must pass both testing modules, achieving a score of 80%. They automatically have 3 attempts to complete each test module. If this is not the case, another three attempts are made the following day. If they do not pass, this must be discussed.

If the employee has passed, he/she will receive a personal badge which is valid for a maximum of one year.

Dutch German French English Italian Spanish Portuguese Polish Romanian . . Czech Croatian Slovak Lithuanian Bulgarian

The introduction is available in the following languages:

2.3.2 Employees in the Central Administration (CA) and Information Systems (IS) Building

At the first reporting the contractor's or subcontractor's employees have to present themselves at the CA reception within normal working time (07:30 h - 17:00 h). Here the required formalities around registration are fulfilled. In exceptional cases registration during the weekend is possible, on condition of prior consultation with and approval of the Umicore site supervisor.

When reporting the employee must be able to identify himself at the request of the receptionist. On their first working day at Umicore employees receive a general safety introduction on the basis of a safety form. Subsequently they obtain a personal badge which is valid for a maximum of six months.



2.3.3 Badge

The employees receive a personal identification badge (after signing a receipt). The badge has to be worn clearly visibly at all times. It is strictly personal and must not be used for a colleague to provide access or for signing on.

They can enter the plant with the badge. Access is pre-programmed, depending on the location of the works to be executed. At the end of the works/activities the badge must always be handed in at the reception or Internal Security Gate D.

2.4 Entering and leaving the site

2.4.1 Vehicles

Vehicles can only enter/leave the plant via gate D. Access is only granted to vehicles transporting materials or which are fitted out as 'mobile works shed'. The driver has to report to security gate D. Here he will be given the necessary rights to enter the site with the vehicle. Only the driver, so no passengers, may enter or leave the site in his vehicle.

The vehicles must always be parked in the indicated or allocated parking zone in agreement with the Umicore site supervisor. Unauthorised parking is not permitted for reasons of safety.

Movements at the plant site have to be reduced to a minimum (only functional movements). Transporting persons within the site is not permitted. Therefore, no more than two people are allowed per vehicle.

The driver of each vehicle wears suitable clothing and the required PPE for accessing an industrial site (provided with fireproof, if required, high-visibility clothing, preferred colour orange) that he will wear at all times.

In case of access outside of gate-D opening times (from 6:00 h to 22:00 h) or in weekends vehicles have to use gate A. However, Internal Security will always perform a check-up here.

2.4.2 Employees

All employees enter/leave the site via the turnstile at gate D and must not drive into the plant with the driver. It is not allowed to enter the site with an (electric) scooter, personal bicycle, or other means of transport as described in the law...

It is prohibited to enter or leave the site through access routes other than Entrance D. Leaving the site through irregular exits is considered to be evading exit controls, which is equivalent to theft!

During the works all employees have to be properly recognisable by means of the company name on the helmet and/or working clothes. The personal badge is also always worn in a visible way.

2.4.3 Materials delivery

• All vehicles and lorries carrying equipment have to drive into the plant via gate D.

Guidelines for contractors - Version 7.0

- Site Hoboken -



- Without an Umicore reference (Umicore site supervisor contractor) no equipment for third parties can be delivered.
- Passengers under the age of 18 are not allowed into the company.
- Animals are not permitted on the site or in the car parks.
- The contractor informs the Umicore site supervisor in time of the arrival of materials.
- The Umicore site supervisor notifies Internal Security.
- The unloading and storage location is always determined by the Umicore site supervisor.

Loading and unloading site materials can only take place between 5:50 and 21:50 hours during weekdays via gate D. In the weekend you can load and unload on Saturday between 05:50 and 13:50 hours. Beyond the above times, access can only be allowed on condition of prior agreement of the Umicore site supervisor via gate A.

2.4.4 Tools and equipment

All work equipment has to comply with the legal requirements and is clearly marked, so that ownership is indisputable. Any materials not clearly marked are considered to be Umicore's property and may not leave the site. This also applies to unused PPE.

2.4.5 Exit controls

Checks by Internal Security of employees and/or vehicles on leaving the plant are possible. For outgoing transports, an exit ticket must always be presented at the exit counter.

2.4.6 Local traffic and signage

Internal rules

- There is a general speed restriction of 30 km/h; there is a speed restriction of 13 km/h for equipment.
- A general ban on overtaking applies.
- All vehicles have to drive with dimmed lights.
- The signage has to be observed.
- Passageways and exits have to be kept free at all times.
- Parking is only allowed in the provided spaces.
- The Belgian traffic code applies.
- Seat belts are mandatory on our site.
- The use of radio, mobile phone (including hands-free) and earphones is prohibited.

Our Internal Security monitors the above rules and performs speed checks.

- Vehicles (such as forklifts, excavators, lorries, etc.) intended for the transport of goods must not be used for transporting individuals (e.g. to go and eat in the canteen).
- Leased bicycles can be used for moving around on the site. These must be requested through Contractor Management. The use of own company bicycles or other personal means of transport is prohibited. The conditions and a sample contract for lease bicycles can be obtained through Contractor Management.



2.4.7 Parking of personal vehicles

Parking C has to be used for parking vehicles that do not have to be inside the plant.

2.5 Use of Umicore materials

Every contractor provides his own materials, tools and protection equipment, unless differently agreed in the contract with Umicore.

It is prohibited to use Umicore's work tools, wheeled equipment, lifting gear and/or other lifting equipment.

For activities requiring Umicore resources, the necessary assistance should be requested from the relevant department.

2.6 Working times

The Umicore Hoboken site is accessible from Monday to Friday from 5:50 to 21:50 hours. Works outside of these times have to be applied for, reported to and approved by the Umicore site supervisor and be recorded in Onyx One.

We emphasise that contractors have to keep to all legal regulations, including those concerning the maximum number of working hours per day/week.

Umicore permits a maximum of 12 hours' presence per working day on the site. In addition, there should be a minimum of 11 hours' rest per 24 hours and minimum one period of 35 consecutive hours' rest per week.

If deviations are desired, they should first be reported to and approved by Umicore management, Umicore's IDPPW and/or the competent authorities.

3 Safety on the site

3.1 Evacuation alarms – Emergency exits

There are two kind of evacuation alarms in the departments:

- 1. Local service alarm with in-house evacuation
 - This has a pulsating tone.
 - All works have to stop and everybody goes to the evacuation location.
 - Evacuation locations have been defined per department and are communicated at registration.
 - The intervention leader's instructions have to be observed.
- 2. General service alarm with full evacuation
 - This is a continuous tone.
 - All works have to stop and everybody goes to the evacuation location.
 - Everybody goes to one of the four official evacuation locations on the site.
 - The intervention leader's instructions have to be observed.



In addition, there is also a general plant alarm whereby the signal is transmitted by the plant siren (a speaking siren). The evacuation is identical to that of a general service alarm.

If you are in a vehicle, put it on the side of the road, stop the engine, close the windows and turn of the fan. Wait for the arrival of the intervention team.

Attention, every first Thursday of the month there is an alarm test.

Emergency exits are indicated at various locations. The contractor's employees, on entering a building, undertake to always verify what the regulations are and where the emergency equipment (extinguishing agents, emergency showers, eye rinsers, etc.) and the gathering place in case of evacuation are located.

3.2 Fire

If a contractor's employee notices a local fire, he promptly warns an Umicore employee in the immediate vicinity or calls the in-house emergency number 6300, or with a mobile the number 03 821 63 00.

There are Umicore extinguishing agents at various locations on the site. Every individual can use them in case of emergency, but only if the person in question has the necessary knowledge about their use. The individual undertakes to always report the use of this extinguishing agent to the Umicore site supervisor.

3.3 Zoning

The entire site is divided into four different zones. On entry of each department these zones (except for the neutral zone) are indicated on a map with associated required PPE.

- 1. Neutral zone: no hazard, so no additional protection required.
 - Car park, central administration, zone from gate A-gate B to Pevo, laboratory turnstile to laboratory entrance
 - Closed shoes and fluorescent vest or coat mandatory
- 2. Green zone: limited hazard
 - Closed shoes and fluorescent vest or coat mandatory
- 3. Orange zone: hazard present, so standard PPE
 - Cover arms and legs (working clothes)
 - Helmet, safety glasses and safety shoes mandatory
 - In certain circumstances: dust mask, earplugs (as indicated)
- 4. Red zone: Additional PPE according to the permits
 - Cover arms and legs (specific working clothes)
 - Helmet, safety glasses and safety shoes mandatory

3.4 Use of products by the contractor

For all products brought in (hazardous products and preparations) the contractor has a recently updated European SDS (Safety Data Sheet). These products and their SDS are listed beforehand



and sent to the Umicore site supervisor and Safety Department to enable assessment of the risks and to discuss any adjustments.

3.5 Use of approved work equipment

Work equipment has to comply with all legal and regulatory stipulations on the subject. They have to be used in safe conditions. When work equipment is brought in which has to be inspected regularly by an approved institution, a recent inspection report without infringements has to accompany the equipment. This is also valid for hoisting equipment and accessories, ladders, scaffolding.

The contractor has to submit a recent inspection report for electricity distribution boards (not more than 1 year old) from an approved inspection institution before the former are connected with the Umicore electricity supply. As regards the electricity board, the contractor will take into account the fact that the general grid within the site is an IT grid without distributed neutral conductor.

4 Personal hygiene and well-being

4.1 Work clothes

- The contractor provides appropriate work clothes for his employees in accordance with the risks of the work to be executed and the risks Umicore communicated to him.
- In any case the contractor ensures that his employees' forearms and legs (long trousers long sleeves) are protected at all times and that they wear safety shoes (type S3).
- The contractor also provides his employees with high-visibility (fireproof if required) clothing (slipover or actual clothing preferred colour orange). This is always worn during movements within the site.
- Preferentially but certainly in case of dirty work the contractor provides a work coverall
 or similar work clothes worn over normal clothing that can be removed when his employees
 want to have their meals.

4.2 Use of Umicore facilities

The dressing rooms and showers are available to all employees at the Umicore site (contractors have to shower in C-ville).

Contractor Management distributes fixed lockers for in-house contractors pro rata per company. The management/allocation of those fixed lockers is the responsibility of the contracting firm itself.

We work with day use lockers for outside contractors. These can be requested from the security guard at the desk at Entrance D (C-ville).

Everyone in the building has to adhere to the guidelines of the departmental staff. Umicore makes these facilities available and therefore expects everybody to take care of them.

The contractors can also use the recreation rooms.



4.3 Eating and drinking

Eating and drinking are not allowed at the workplace or in vehicles.

Money can be loaded onto the access badge to pay for drinks, food and sweets from the vending machines.

Contractor employees will get access to the canteen in the personnel provisions building at gate B, open 24/7, and to the warm mess at gate A, Monday to Friday from 10:30 to 13:30 and 17:00 to 18:30 hours and the C-ville canteen from 05:30 to 19:00 hours.

When there is a large increase in contractors, such as with shutdowns, a distribution plan will be in effect and the opening hours may change.

Contractor employees have to keep to the customary rules for proper behaviour and hygiene and observe the following agreements:

- Wear dust-coats in the canteen
- See to personal hygiene
- Always use trays
- Wear shoe covers over work shoes

Nobody can enter the canteen with soiled clothing; this clothing always has to remain outside the canteen.

Contractor employees can take hot or cold meals in the mess for an adapted price. Sandwiches and soup are distributed at the same prices.

4.4 Use of personal protective equipment

Wearing the required personal protective equipment (such as helmet, glasses, safety shoes) is always mandatory when executing works that are explicitly mentioned on the work permit and on locations where it is indicated by local signs or pictograms.

Umicore takes care of safety, health and environment. Correct use of PPE is very important in this context. As a rule it is the contractor's responsibility to make available the correct standard PPE to his employees.

Standard PPE	Description	Standards
Shoes	High safety shoes (S)	EN ISO 20345:2011
Glasses	Safety glasses (mechanical risks)	EN166: 2001
Work suit	Flame-retarding work suit	EN ISO 11612:2008
Helmet	Safety helmet (Thermoplast or Duroplast)	EN397
Dust mask	FFP3 mask	EN149:2001
Gloves	Leather work and welding gloves	EN388/EN407/EN12477

If the contractor wishes to remove standard PPE on site, a contract must be concluded beforehand with our PPE distributor S4M. More information can be obtained from Contractor



Management. Subcontractors cannot conclude separate contracts for this, they must be included in the contract of the main contractor.

Umicore supplies the PPE for company-specific risks. They are always mentioned on the work permit and can only be obtained at the PPE counter at C-ville

In the event of material damage to, or failure to return, specific reusable PPE (Versaflo, measuring devices, etc.), the costs of repair or replacement will be charged to the contractor.

Specific PPE taken from Umicore must not leave the site in any circumstances whatsoever. This PPE is only intended for use on the site. If during an exit check a violation is found, the necessary sanctions will be taken.

4.5 Risk prevention

Accidents, first aid and near misses on the site have to be reported to the Umicore site supervisor and the IDPPW. In every case an investigation has to be carried out in cooperation with Umicore staff (site supervisor and/or IDPPW) and Umicore has to be notified of the prevention measures taken.

In compliance with the stipulations of the Royal Decree dated 24 February 2005, in case of a serious accident as described in the RD the contractor undertakes to call on cooperation of the Umicore prevention department for the accident investigation. These accident reports have to be submitted to the Directorate General for Supervision of Occupational Well-Being – supervision of chemical risks department.

4.6 Reporting incidents and accidents

Every employee must report dangerous situations, accidents, incidents and other undesirable situations immediately to their direct supervisor. The latter must then report this in writing to the department concerned and/or IDPPW Umicore and/or the Contractor Management Department.

In the event of an accident, you should contact the intervention team immediately via the emergency number 03 821 6300.

If such situations arise as a result of the activities, the contractor will shut down the activities immediately. In the production installations, this must be reported immediately to the registration point.

4.7 Health

The involved contractor's company physician can always contact the Umicore company physician for consultation concerning the specific medical follow-up during the works. The Company Medical Department is located near gate B.

On the basis of their medical examination card the contractor's employees have to be able to prove that they are medically fit for the work to be executed. For example, drivers of mobile vehicles and attendants of cranes and hydraulic lifts have to be able to prove their suitability. The medical examination card must not be more than one year old.



Depending on the nature and the duration of the job, additional targeted examinations can be performed by Umicore's Company Medical Department. Umicore can take this decision at any time and inform the contractor, e.g. during the discussion of the task-risk analysis. The contractor's company physician can ask for the results of the examination via the Umicore company physician at all times.

In case of accidents or illness in working time the contractor's employees have to go to Umicore's Company Medical Department. There the required measures for care and/or treatment of the injuries will be taken. If necessary the contractor's employees are referred to their general practitioner and/or a hospital.

A pregnant employee also has a notification obligation. The occupational physician must decide on the employability of this employee.

4.7.1 Biological monitoring

Umicore's Company Medical Department may carry out a biological monitoring campaign on the basis of the works planned.

All employees deployed for a safety-critical task (determined beforehand via Task Risk Analysis) will undergo extra screening for metals (As, Pb) in urine and/or blood:

- Before the works start.
- During the works: at the end of the task that took several days or at the end of each working week (always at the end of a shift).
- After the works have been finished and before leaving the site.

For biomonitoring employees present themselves at medical department in clean condition and tidy clothes.

Umicore will bear the costs of all laboratory tests, provided that the employees involved take part in the entire process (before-during-after). In case of refusal to participate in part of the whole process, the costs for the entire process will be charged to the employer of the individual concerned.

People who refuse to take part in the screening will be removed from the site/works site. The following threshold values will be used in assessing the blood and urine analyses:

- Lead in the blood: PbB 25 μg/dl
- Arsenic in the urine: AsU 30 µg/gCr

Employees whose threshold values are exceeded during the works will – either or not temporarily – be removed from the works site in consultation with the contractor's site manager. The contractor's company physician will be notified.

For that reason any enterprise executing works on the works site on behalf of the contractor will communicate the details of the former's company physician to Umicore before the works start via the Onyx One pre-qualification process.



The Umicore company physician will only use the anonymous group laboratory results to evaluate any preventive measures.

The contractor undertakes to communicate any exposure risks to his company physician, so that the latter can thoroughly screen the contractor's employees beforehand.

5 Safety at work and on the works site

5.1 Start-work meeting and risk analysis

Before the start of the works the contractor will (as legally obliged) draw up a written risk analysis of the works to be executed. In it the contractor will define which preventive measures have to be provided to execute the works in a safe way. In his risk analysis he will also incorporate the specific risks at the workplace and associated measures regarding first aid, firefighting, evacuation and any additional medical check-ups.

This risk analysis and the planned preventive measures will be sent digitally to the site supervisor. The Umicore site supervisor will evaluate these and ask for any adjustments.

For major works the contractor will be invited to a general introduction meeting before the start of the works. Depending on the size of the project or the work to be executed IDPPW, Environmental Management Department, project engineers, site supervisors and the contractor's corresponding departments may be invited. At this meeting the practical agreements about safety, health and environment will be discussed and laid down.

It is the contractor's task to inform his employees of the agreements concluded, the specific Umicore risks and associated safety measures. The Umicore site supervisor and IDPPW are obliged to verify – by means of random samples – whether this actually happened.

5.2 Employees reception

The Umicore site supervisor will accompany the contractor from the entrance to the workplace and again briefly explain the general safety agreements. If the contractor works with varying employees, Umicore will only see to the initial reception. The changed personnel has to be received by the contractor's site supervisor. If subcontractors are called in, the contractor's site supervisor also has to see to the reception.

At the workplace/works site the specific risks, safety measures and practical agreements will be gone through and discussed in a work start-up meeting/toolbox.

Afterwards all contractor's employees sign the form and thus declare to have understood all general and specific agreements concerning safety, health, hygiene and environment and will strictly comply with them in executing the works. A copy of this form is given to the site supervisor. If desired, Umicore can provide an example of this.

Any additional costs because of the time devoted to the introduction meeting and/or work start-up meeting must be clearly described in the price quote, but cannot be invoiced afterwards anymore.



The specific reception occurs per work site or workplace where contractor's employees are working. Without the approval of the Umicore site supervisor and without a new specific reception the employees cannot be employed on a different work site.

To avoid misunderstandings it is important that communication on safety agreements occurs in a language that everybody understands. This means that at least the contractor's person in charge/site supervisor preferably has command of the Dutch or English, French or German language. He is responsible for ensuring that all his employees and subcontractors are instructed in a language they understand and by translating the safety instructions on the construction site/workshop at all times.

If Umicore establishes that the above principle is not, or is insufficiently, complied with, the site may be shut down. Any additional costs of these measures will be charged to the contractor.

5.3 Work-site layout and work-site fence

If use of the facilities is not required, the contractor sees to the infrastructure to be legally provided for his own and his subcontractors' employees. The location and size of the work-site layout are determined in consultation with the Umicore site manager. All site infrastructure must have been inspected according to the legal obligations. The way in which electricity, water, toilet facilities and telephone are connected and the sharing of the costs are discussed beforehand with Purchasing Department and the Umicore site supervisor.

Every work site will be provided with a sound lockable fence, unless otherwise agreed with the Umicore site supervisor. If barrier tape is used, it will always be of the 'red-white' type.

Without explicit prior written approval of Umicore, no activities are allowed on Umicore sites beyond the contractual context between Umicore and the contractor.

5.3.1 Work zones

Work zones are zones in which logistic activities are executed by the department's own staff and the associated transport, therefore there is only work traffic. This work zone can only be accessed by people and vehicles required for the operations.

Third parties can execute works in a work zone provided that:

- there are correct agreements with the Umicore site supervisor
- the work zone is clearly demarcated in the operational area
- a reflecting vest is worn

5.3.2 Blocking passageways

Adapted demarcation, consisting of fencing/planks/chain/cones, etc., is required for all works. It must always be provided by the contractor.

If in fitting out the work site or in the course of the works the passage for pedestrians, cyclists or vehicles is blocked, it has to be discussed with the Umicore site supervisor and the Umicore person in charge of traffic safety in order to install the necessary rerouting. The contact details can be obtained from Contractor Management.



Closing a passageway without clear signage is not allowed; the signage indicates a safe alternative route.

5.3.3 Breaking up roads and plantation

Before breaking up roads or plantations for the agreed works, the contractor will contact the site supervisor well in advance to discuss who does what and when.

On closing the work site the roads and plantations have to have been restored.

5.3.4 Permanent use of the areas (contractor park)

In consultation with Umicore areas can be occupied permanently to organise the activities. Installing containers and closed workspaces have to be agreed with the Contractor Management Department. The installed facilities must comply with legal and Umicore-specific requirements.

The contractor personally assumes responsibility for his equipment and for locking the workspaces. Utilities are supplied by Umicore.

The equipment has to be stored and the work equipment organised according to the 5S principles. The person in charge at Umicore will regularly audit the area in accordance with these principles.

The contractor park contains the necessary toilet facilities for the contractor's employees. Every contractor will participate in checking these facilities on a rotating basis. Defects or problems can be reported to the Umicore person in charge at any time.

A relaxation area was also set up at the contractor park for contractor employees.

5.4 Site regulations

5.4.1 Safety supervision

The contractor is fully responsible for safety supervision during the works. We expect the contractor to adjust and report unsafe situations or actions. If in check-ups by Umicore deviations are found, Umicore will intervene and it will be immediately reported to the site supervisor.

5.4.2 Follow-up of the works by the Umicore site supervisor

The contractor has to take into account all preventive and corrective instructions from the employees in charge. This cannot result in additional costs for Umicore. If various companies are executing works at the same time, a Umicore employee is assigned beforehand as coordinator who controls the overarching planning.

5.4.3 Obligation to check in and out

Before the start of the works the contractor has to report to the department concerned. Here he will be registered in the departmental reporting register. This results in a clear overview of



the works in the department with the external staff present. After finishing the work/or on leaving the department he has to get signed out. Before signing out, it is the contractor's responsibility to undertake the necessary steps to leave the work site behind in an orderly and safe way.

5.4.4 Permits

No work at all can be started by a contractor without the required permits. Before the works are started, the permit is signed by all parties involved. The conditions of the permit should be strictly observed. The permits have to be at the location of the works at all times. A permit is only valid for the works mentioned, the dates given and maximum one team shift. If the circumstances change during the works, a new permit has to be applied for.

The potential permits are described below:

1. Works permit

This permit is issued by the department, at the reporting location, and guarantees safe execution of work on machines, installations or installation components.

It contains a list of the necessary measures that the executors have to comply with (such as devices to be locked, according to the current procedure). In addition this permit also contains a Last Minute Risk Analysis, a last safety check that has to be filled in on site just before the works start to prevent unexpected risks. The permit has to be signed by all employees.

For high-risk work, a TRA (Task Risk Analysis) must always be drawn up beforehand and the LMRA on site must be filled in together with the department.

2. Hot work permit

This permit lays down the conditions in which flammable work can be executed and is part of the works permit.

3. Access permit

On the one hand this permit describes the safety measures to access a confined space and on the other hand it imposes the measures to be taken. Beforehand a TRA (Task Risk Analysis) must always be drawn up. The manhole security has to report to the in-house fire brigade (personnel provisions) at every start of his shift.

4. Excavation permit

This permit describes the procedure to enable safe excavation works, without damaging underground conduits or electricity cables.

5.4.5 Working on own installations

No work permit has to be applied for when working on the contractor's own machines, installations or components of installations at Umicore unless in a red zone or there is an impact for other employees or installations. Subcontractors who execute these works must



not be registered in Onyx One and are under the permanent supervision and responsibility of the contractor himself.

5.4.6 Working at height

For all works higher than two metres shields have to be used. Scaffolding must be in regulatory order. For construction use has to be made of the "Umicore standard for scaffolding", which can be obtained on request. Scaffolding has to be re-inspected every week and for all scaffolding it is required that a (standard) calculation note can always be presented.

During scaffold construction and dismantling a harness belt must be worn. No adjustment whatsoever (even temporarily shifting a plank) can be performed by unauthorised persons. At every access it is the employee's responsibility to check whether the scaffold has been inspected and is in good condition.

If there are no alternatives for bridging height differences, ladders may be used.

When using aerial work platforms/articulating/scissor or telescopic lifts it is always mandatory to wear a harness belt. Transferring from an aerial work platform is not allowed. If there are no alternatives, this has to be first approved by Umicore's Prevention Department. When a scissor lift or aerial work platform is used, the work zone has to be demarcated with traffic cones. When the scissor lift or aerial work platform is moved, signage always has to be checked/moved.

5.4.7 Lifting activities

Before the start of lifting work, a lifting plan must be drawn up, which is then validated on site between the rigger and Umicore employee.

Based on this consultation, the lifting zone is secured by using red and white demarcation tape. During hoisting it is the rigger who guards the risk zone and stops unauthorised persons.

5.5 Trafic regulations

5.5.1 Trafic rules

Umicore's Hoboken traffic regulations apply to all users of our internal roads:

- Umicore employees (including those from other sites)
- external parties carrying out an assignment (contractors)
- other third parties (visitors, truck drivers...)

You can consult the complete <u>traffic regulations</u> on our Contractor Portal.

5.5.2 Trafic plan

For an up-to-date traffic plan, we refer to our Contractor Portal.

5.5.3 Gathering places

For a current listing of gathering places on our site, please visit the Contractor Portal.



5.5.4 Vehicle inspection on site

The procedure 'management and conformities of vehicles with UPMR license plate' can be found on the <u>Contractor Portal</u>.

5.6 Safety regulations

5.6.1 Procedure of the storage of hazardous products

The procedure around storage of hazardous products on our site can be found on the Contractor Portal.

5.6.2 Locking procedure

The lock-out procedure can be found on the Contractor Portal.

5.6.3 Practice guideline for enclosing

The practice guideline for enclosing can be found on the <u>Contractor Portal</u>.

6 Environmental regulations

6.1 Waste disposal

It is the contractor's duty to take care of tidiness and order on the work site. At the end of the day's work, the site is left behind tidy and safe. If the various contractors are present on the work site at the same time, the contractors will discuss with each other how they can jointly see to tidiness and order.

In case of non-compliance with tidiness and order, Umicore can have the work site cleared for the account of the contractor in question.

At the end of the assignment all site rooms and residual materials brought along by the contractor are cleared. Discarded materials will be treated as waste or scrap. The resulting supplementary costs will be invoiced.

6.1.1 Demolition work

In the price quote it will be clearly described which waste materials can be recycled and taken away by the contractor. The price setting for the work takes this into account.

For the disposal of waste, the contractor is responsible for the transport and any dumping formalities.

Any waste materials that were not included in the contract are selectively collected in the specially designated waste containers, which you can find at the various container parks. The removal of waste in these waste containers is only allowed after permission from the internal waste manager.

Remember that permanent storage and processing of waste is prohibited!

6.1.2 Construction/renovation work

Here the same principles apply as for demolition work.



The contractor producing waste is personally responsible for its removal. For longer-term works the contractor sees to the installation of containers for selecting various small waste products. All associated costs are for the account of the contractor. All packaging materials have to be recycled by the contractor in conformity with the applicable stipulations. If desired, Umicore can take care of scrap removal.

On condition of consultation with the Umicore site supervisor, the disposal of stone rubble and soil can be done at an indicated location at the site.

No waste material whatsoever can be buried in the ground.

6.1.3 Painting work

The contractor personally ensures removal of all residual materials (blasting grit, diluents, empty paint packaging, brushes, etc.). If possible a solution will be sought for special desires (request via Umicore site supervisor).

6.1.4 Disposal of waste outside of the company

For the disposal of waste material or scrap the transporter always has to have a fully completed disposal form issued by the Umicore site supervisor on the advice of the environmental coordinator. Disposal is covered by the OVAM regulations concerning the reporting duty.

Only in writing can the environmental coordinator allow exceptions to these general stipulations.

6.2 Water-pollution prevention

No other liquid products (e.g. oil products, organic fluids, diluents, etc.) can be poured into the in-house sewer system.

Spilled fluids (oil, fuel oil, etc.) on hardened surfaces have to be cleared straightaway with absorbent material (so no flushing into the sewer). The absorbent material can be obtained from the Umicore site supervisor.

6.3 Air-pollution prevention

It is strictly forbidden to burn anything whatsoever on the work site.

The discharge of combustion gases from heating appliances for work-site rooms etc. has to occur at minimum 1 m above the surrounding work-site rooms.

The exhaust gases from vehicles and other machines have to comply with the legal stipulations. Idle running of the engine (vehicles) is not allowed.

A limited number of logistical tasks must be carried out depending on the weather conditions. By this we mean that we reduce or even stop the execution of some logistical tasks temporarily, in order to reduce the spread of heavy metals and particulate matter.

We do this for bulk products with a risk of emission of Pb, As and Cd.

There are three levels:

• Wind speed ≤ 8 m/s or 29 km/h (Beaufort scale 4) => normal operation with standard dust control.



- Wind speed 8 m/s or 29 km/h (from Beaufort scale 5) => increased attention. Unloading bulk carriers, bulk trucks or bulk containers should be postponed. Increased dust control intensity, also in covered areas. The treatment of potentially dusty materials is limited to those that are strictly necessary for further processing. Transport is limited to products not included in the list of potentially dusty materials.
- Wind speed > 11 m/s or 43 km/h (from Beaufort scale 6) => highly adapted operation with an absolute stop of the treatment of potentially dusty materials. Logistical bulk activities are only possible on account of process reasons.

6.4 Soil-pollution prevention

Spilled products that may cause soil or ground-water pollution must be cleaned immediately. Via the Umicore site supervisor these incidents have to be reported to the Environmental Management Department.

6.5 Noise-nuisance prevention

The contractor undertakes to strictly observe the existing legislation relating to noise nuisance caused by building-site machines (e.g. the RDs dated 1/7/86). Activities causing noise nuisance are forbidden from 19:00 h to 7:00 h.

6.6 Environmental incidents

Any uncontrolled or accidental discharge of products into the soil, sewer system and/or air must be reported immediately to the local site management so that the environmental department can be notified for further coordination.

Safety ... Our top priority